

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.


Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

Fig. 1A Fig. 1B Fig. 1C Fig. 1D



Red – Rhodamine in Cochleate Lipid
 Green – FITC in Morpholino
 Yellow, Yellow-Green or Orange – Cochleate And Morpholino Co-localization

Fig. 2A




Fig. 2B




Fig. 3




Fig. 4A




Fig. 4B





Fig. 5



3/7

Incubation of SKOV cells with siRNA/Cochleates




Fig. 6

**Partial knockdown of Cytoplasmic erbB2 in SKOV3 cells after
24h exposure to siRNA(erbB2) cochleates**




Fig. 7

5/7

Confocal Microscopy of siRNA-Cochleates Administered to SKOV3 cells




Fig. 8




Fig. 9

7/7




Fig. 10